

## United States Patent and Trademark Office

A

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/646,041	08/22/2003	James E. Speed	ATA316	8517
	7590 03/13/200 DW. J CAMPBELL	7	EXAMINER ·	
PO BOX 16037			LEVY, NEIL S	
AUSTIN, TX 78716			· ART UNIT	PAPER NUMBER
			1615	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		03/13/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
·	10/646,041	SPEED ET AL.			
Office Action Summary	Examiner	Art Unit			
	NEIL LEVY	1615			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
,—	1) Responsive to communication(s) filed on <u>29 December 2006</u> .				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	,				
4) Claim(s) 1-20 is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>1-8 and 10-13</u> is/are allowed.					
6) Claim(s) 9,14-20 is/are rejected.					
7) Claim(s) is/are objected to.	r clastion requirement				
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examine	г.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
·					
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail Da				
Notice of Draftsperson's Patent Drawing Review (PTO-948)     Information Disclosure Statement(s) (PTO/SB/08)	atent Application				
Paper No(s)/Mail Date 6) Other:					

Art Unit: 1615

## **DETAILED ACTION**

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

## Claim Rejections - 35 USC § 112

Claim9 STANDS rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 9 recites the limitation "cat litter", there is none in claim 1, nor in the specification @ page 6, as argued by applicant, but not supported with any MSDS or other documentation showing the claimed % of limestone & clay, as of the filing date of this application.

Claims 14-20 stand rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for the stake & method of making, does not reasonably provide enablement for inhibiting any burrowing mammal. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to practice the invention commensurate in scope with these claims. There is no basis given & no objective data or evidence that the stake is 'poisoned" & at all effective to "inhibit" as provided in the specification, otherwise undefined in the claims or specification, a burrowing animal. There is no basis for means to carry out crumbling of a hard concrete object as of claim 16, as supported in the specification.

Applicant's arguments of 12/29/06 are not persuasive; the prior art covers a number of areas, as requiring pest control utilizing a variety of mechanisms, as applicant points out, known in the spheres of burrowing animal control. However, "inhibiting is not a clearly definitive term, & no evidence is presented or evident, that the invention would "inhibit" within any quantitative parameters of inhibition.

Application/Control Number: 10/646,041

Art Unit: 1615

The rejection of claims 1-17 under first paragraph regarding prevention was in error & is withdrawn .

The arguments for allowability over the prior art are persuasive, plaster of Paris is known in the pest control arts, but combination with sulfur & castor oil is not obvious to add, & serves as a critical aspect of the instant invention.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NEIL LEVY whose telephone number is 571-272-0619. The examiner can normally be reached on Tuesday-Friday, 7 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL WOODWARD can be reached on 571-272-8373. The fax phone

Application/Control Number: 10/646,041 Page 4

Art Unit: 1615

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner Art Unit 1615